




✓ JJ ORTHODONTICS

For Everlasting Smile

www.jjortho.com | sales@jjortho.com



Vol : 8

Our Strengths

Exciting
Innovation

Research &
Development
Capabilities

Established
Manufacturing
Base

World-Class
Infrastructure

Global
Quality
Standards

Superior
Customer
Service

Head Office:

JJ Orthodontics Pvt.Ltd.,VII/202E, Munipara, Kanjirapilly P.O., Thrissur Dist.
Kerala-680721, TOLL FREE No. :1800-425-8545, 0480 2746888/ 2746353

Visit : www.jjortho.com

*From the desk of
Managing Director*



JJ Orthodontics is a manufacturing company in India with the most modern technologies and expert personnel capable of designing and manufacturing complete orthodontic products. Leveraging on the state of the art technology, we are keen on developing products of high precision and global standards. Our manufacturing unit with special MIM facility enables concepts to be evolved as quality products.

We are a manufacturer certified with ISO, CE and FDA and have focussed on exporting our products worldwide. Based on extensive research and countless efforts for development, JJ Orthodontics has offered MIM one piece bracket to the orthodontic world across the globe. We are truly proud of our vast and satisfied customer base.

Our unflinching commitment to doctors and their satisfaction has always been a priority for JJ Orthodontics. So I would appreciate an opportunity to meet you and discuss about our products and our prospective association with you in future.

DR. JIJU JOHN



Contents

NAB PRODUCTS:..... 5-11

SELFY PASSIVE	5
SELFY PASSIVE PLUS.....	6
SELFY CLEAR PLUS.....	7
SELFY LINGUAL.....	8
OCEAN	9
SLEEKFIT BUCCAL TUBES	11

METAL BRACKETS:..... 12-14

ORTHOX.....	12
OPERA MINI.....	13
XB.....	13
LINGUAL BRACKET.....	14

COSMETIC BRACKETS:-..... 15-18

LAVA.....	15
CLEAR.....	16
ILLUSION.....	17
SPARKLE.....	18
ECO CERAM.....	18

COMPOSITE BRACKETS..... 19

GLASS.....	19
ORA.....	19

IMPLANT SYSTEM..... 20

MODELS.....21

BUCCAL TUBES..... 22-24

BUCCAL TUBES.....	22
BONDABLE TUBES.....	23
WELDABLE TUBES	24

BANDS..... 25-27

BANDS.....	25
PRE-WELDED BANDS.....	26-27

ELASTOMERICS..... 28-29

WIRES.....30-33

ACCESSORIES..... 34-39

AUXILIARIES 40-42

EXTRA ORAL..... 43-44

INSTRUMENTS..... 45-49

ADHESIVES..... 50

CUTTERS & PLIERS..... 51-59

LINGUAL ORTHODONTIC PLIERS.....	59
---------------------------------	----

JJ PRODUCTION..... 60-63


IMPLANT GENESIS..... 64-65

CLEARBITE ALIGNERS..... 66

Selfy PASSIVE

Self Ligating Bracket

NAB PRODUCTS



Code	10.05.10
------	-----------------

OPENING TOOL



Code	10.05.09
------	-----------------

-11°	-11°	7°	8°	12°	12°	8°	7°	-11°	-11°	TORQUE
2°	2°	5°	9°	5°	5°	9°	5°	2°	2°	TIP
UR5	UR4	UR3	UR2	UR1	UL1	UL2	UL3	UL4	UL5	
LR5	LR4	LR3	LR2	LR1	LL1	LL2	LL3	LL4	LL5	
2°	2°	5°	0°	0°	0°	0°	5°	2°	2°	TIP
-17°	-12°	7°	-6°	-6°	-6°	-6°	7°	-12°	-17°	TORQUE

SelfyWires

Self Ligating Wire System

Stage I - Leveling / Aligning

Universal Round Wires

Wire	Size	Product Code
Copper NiTi	0.013"	630-30-0013
Copper NiTi	0.014"	630-30-0014



Stage II - Transition

Universal Rectangular Wires

Wire	Size	Product Code
Copper NiTi	0.014" x 0.025"	630-30-1425
Copper NiTi	0.018" x 0.025"	630-30-1825

Stage III- Finishing

Universal Rectangular Wires

Wire	Size	Product Code
Stainless Steel Medium	0.019" x 0.025"	630-35-1925


Wire	Size	Product Code
Patient Set Wires	0.013"	10.05.013
	0.014"	10.05.014

Selfy

PASSIVE PLUS

Metal Self Ligating
Bracket System

NAB PRODUCTS



Specs

- ✓ Easy to use
- ✓ Efficient in Performance
- ✓ Low Profile
- ✓ Rounded Edges
- ✓ Economical in Cost
- ✓ Engraved Identification Marking
- ✓ Rounded Chamfered Slot
- ✓ Deeper tie Wings
- ✓ 80 Gauge Mesh



Prescription

MAXILLARY ARCH

	U1	U2	U3	U4	U5
Tip	5°	9°	5°	2°	2°
Torque	12°	8°	7°	-11°	-11°

MANDIBULAR ARCH

	L1	L2	L3	L4	L5
Tip	2°	4°	5°	4°	4°
Torque	-3°	-3°	7°	-12°	-17°

Without Hook	10.05.11
With Hook	10.05.11 - H

Selfy CLEAR PLUS

SL Passive Bracket

Polycrystalline Alumina (PCA)

NAB PRODUCTS



CURVED HOOK

ROUNDED SLOT
EDGE

EXPANDED TIE WING
UNDERCUTS

.022 SLOT- ULTRA-LOW
FRICTION- ACTIVE WITH WIRES
HEIGHT 0.025

MARKING FOR FAST
IDENTIFICATION AND ALIGNING
CENTER MARKING

EXCELLENT AND EASY-MOVING
SLIDE MECHANICS.

APPROVED MECHANICAL
LOCKING BASE FOR PERFECT
BONDING & DEBONDING EASY

Code

10.05.22



- **Innovative, Easily Movable with Sliding Mechanism.**
- **Mark for Quick Identification and Alignment.**
- **Optionally with Check Mark.**
- **Ultra-stable, High Tech Material guarantees a crystal clear, discolouration-resistant aesthetic appearance.**
- **Easy handling Low Profile and smooth surface provide patient comfort at the highest level.**



Selfy Tooth Color Patient Set Wires

0.013"	10.04.0013
0.014"	10.04.0014


Selfy LINGUAL

Self Ligating Lingual Bracket System

NAB PRODUCTS



Selfy Lingual Appliance System is the innovation to simplify Lingual fixed orthodontic treatment with the help of incorporating Self-Ligation in Lingual for the patients needing invisible orthodontics. Selfy Lingual designed with all the unique features to simplify Lingual Orthodontics: Customization & Indirect Bonding Provision, Passive Self-Ligating Lingual Brackets & Preformed Thermal CuNiTi Wires.



Selfy Lingual – Preformed Arch Forms

Size	Qty	Remark
012	2	U/L 1 each
014	2	U/L 1 each
016	2	U/L 1 each
16 * 22	2	U/L 1 each
17 * 25	2	U/L 1 each

Selfy Lingual Wires Set

SECURED PASSIVE
SELF LIGATION

TRULY INVISIBLE

CUSTOMISABLE

COMFORTABLE

FRICTION LESS



VISIBLE


v/s



INVISIBLE

Code

10.05.01



Low Profile Two Piece Bracket

COLOR ENHANCED I.D.
for easy bracket selection

ROUNDED CONTOURS
for patient comfort

PALLADIUM ALLOY BRAZE
for maximum adhesion
between bracket and mesh.

INCREASED TIE WING AREA
to facilitate easy ligation.

LOW PROFILE
reduces occlusal interference
and enhances comfort.

CENTER SCRIBE LINE
aligns with long axis for
accurate placement

FULL ROTATIONAL CONTROL
due to the true twin design

CHAMFERED SLOT ENTRANCE
promotes easier and more
rapid archwire placement

TORQUE-IN-BASE
for level slot lineup and improved finishing

80 GAUGE MESH BASE
for maximum bond strength

ROTH

Prescriptions	Patient Kits	Product code
ROTH	.018 U/L 5X5 Hks 3	220-18-1300
ROTH	.018 U/L 5X5 Hks 3,4,5	220-18-1345
ROTH	.022 U/L 5X5 Hks 3	220-22-1300
ROTH	.022 U/L 5X5 Hks 3,4,5	220-22-1345

MBT


Prescriptions	Patient Kits	Product code
MBT	.018 U/L 5X5 Hks 3	220-18-5300
MBT	.018 U/L 5X5 Hks 3,4,5	220-18-5345
MBT	.022 U/L 5X5 Hks 3	220-22-5300
MBT	.022 U/L 5X5 Hks 3,4,5	220-22-5345

-7°	-7°	0°	10°	17°	17°	10°	0°	-7°	-7°	TORQUE
0°	0°	8°	8°	4°	4°	8°	8°	0°	0°	TIP
UR5	UR4	UR3	UR2	UR1	UL1	UL2	UL3	UL4	UL5	
LR5	LR4	LR3	LR2	LR1	LL1	LL2	LL3	LL4	LL5	
2°	2°	3°	0°	0°	0°	0°	3°	2°	2°	TIP
-17°	-12°	0°	-6°	-6°	-6°	-6°	0°	-12°	-17°	TORQUE

MBT

OCEAN

NAB PRODUCTS



Low Profile Two Piece Bracket

- ✓ Meets Patient Satisfaction
- ✓ Low Profile Bracket
- ✓ Less occlusal interference
- ✓ More Comfort



Compare to Victory by 3M Unitek

		OCEAN			VICTORY (3M)		
		Angle	Torque	In/Out	Angle	Torque	In/Out
Maxillary	Bicuspids	0°	-7°	0.82	0°	-7°	0.82
	Bicuspids	0°	-7°	0.82	0°	-7°	0.82
	Cuspids	8°	0°	0.58	8°	0°	0.58
	Lateral	8°	10°	0.97	8°	10°	0.97
	Central	4°	17°	0.78	4°	17°	0.78
	Central	4°	17°	0.78	4°	17°	0.78
	Lateral	8°	10°	0.97	8°	10°	0.97
	Cuspids	8°	0°	0.58	8°	0°	0.58
	Bicuspids	0°	-7°	0.82	0°	-7°	0.82
	Bicuspids	0°	-7°	0.82	0°	-7°	0.82
Mandibular	Bicuspids	2°	-17°	0.96	2°	-17°	0.96
	Bicuspids	2°	-12°	0.85	2°	-12°	0.85
	Cuspids	3°	0°	0.55	3°	0°	0.55
	Lateral	0°	-6°	1.15	0°	-6°	1.15
	Central	0°	-6°	1.15	0°	-6°	1.15
	Central	0°	-6°	1.15	0°	-6°	1.15
	Lateral	0°	-6°	1.15	0°	-6°	1.15
	Cuspids	3°	0°	0.55	3°	0°	0.55
	Bicuspids	2°	-12°	0.85	2°	-12°	0.85
	Bicuspids	2°	-17°	0.96	2°	-17°	0.96


SLEEKFIT

LOW PROFILE Buccal Tube

NAB PRODUCTS



- Medical grade stainless steel.
- Funneled mesial opening for easier wire insertion.
- Sleek & low profile design.
- Distal Notch for additional anchorage for ligation.
- Clear Color Coding by quadrant.
- Occlusal/ Gingival positioning guides for easy placement.



Low Profile Design

Sleekfit is the newest and most advanced tube, delivering the ultimate Combination of functionality, convenience, and patient comfort.

• Low Profile

Sleekfit is ultra low profile design. This low profile helps deliver exceptional patient comfort without sacrificing functionality.

• Hook Orientation

Sleekfit's hook is on the mesial edge of the body, and angled at a near horizontal orientation. This ensures it doesn't extend beyond the facial surface, which improving patient comfort and making bonding less cumbersome.

• Centered Funnel Entrance

Sleekfit Tubes are centered, funneled entrance is the largest in the tube portfolio, and makes for easy, successful wire insertion from any angle.



Upper Right



Upper Left



Lower Right



Lower Left



Upper Right Double Tube



Upper Left Double Tube

Quadrant	Code
US/ LS	20.50.10
UD/LS	20.50.20

• Placement Line and Positioning Guides

Sleekfit Tube's horizontal placement line provides excellent reference for the tooth's occlusal edge, while the positioning guides make bonding easier at the posterior.

• Bonding

Sleekfit delivers exceptional bond strength and accuracy with its revolutionary bonding pad and developmental groove. Dual mechanical retention pads layer micro abraded 80-gauge mesh over an etched foil base, and the pronounced developmental groove offers a precise fit.

• Design

Sleekfit design has been considered to make more comfortable for the patient, and more accurate for doctors and staff, with streamlined look includes the tube being funneled to distal, a scalloped mesial edge from the facial view, and a flatter.


Compare to fit by American Orthodontics

SLEEKFIT			TUBES (A O)	
	Rotation	Torque	Rotation	Torque
Maxillary	10°	-14°	10°	-14°
Mandibular	0°	-20°	-0°	-20°

Quadrant	Single	Double
0.022" UL	20.50.11	20.50.15
0.022" UR	20.50.12	20.50.16
0.022" LL	20.50.13	
0.022" LR	20.50.14	

ORTHOX

One Piece MIM Bracket



Chamfered Slot
For Easy Wire Insertion
and added Patient Comfort

**Expanded Tie Wing
Under Cuts**
For easy bracket ligation

Central Scribe Line
For Accurate Placement

**Rhomboid Low
Profile Design**
For patient comfort and
secure bonding

Durable One-Piece Design
Eliminates Brackets and pad separation

Bracket (5-5)

Qty-20 Pcs (1 Case)

ROTH

0.018 X 0.028	0.018 X 0.028	0.022 X 0.028	0.022 X 0.028
HOOK 3,4,5	HOOK3	HOOK 3,4,5	HOOK3
10.01.100H	10.01.100	10.01.200H	10.01.200




Bracket (5-5)

Qty-20 Pcs (1 Case)

MBT

0.018 X 0.028	0.018 X 0.028	0.022 X 0.028	0.022 X 0.028
HOOK 3,4,5	HOOK3	HOOK 3,4,5	HOOK3
10.02.100H	10.02.100	10.02.200H	10.02.200

MIM Base Design



OPERA MINI

Low Profile (MIM Bracket System)




Single Piece MIM Base Bracket

- One Piece Mini Bracket.
- Ensures patient comfort.
- 0.022" Precision Slot.
- Higher Bond strength.




Code	10.03.400
------	------------------



XB™ Direct Bond

Two Piece 80 guage mesh based bracket



ROTH

qty	20	
Slot	.018 x .030"	10.07.100 18
	.022 x .030"	10.07.200 22

MBT

qty	20	
Slot	.018 x .030"	10.07.300 18
	.022 x .030"	10.07.400 22


LINGUAL BRACKET

STB SERIES



- 1) The design of 0.018 slots in anterior brackets and 0.022 slots in posterior brackets and tubes can close distance of posterior teeth easily.
- 2) Flatter bracket enables better oral hygiene and less occlusal contact interference.
- 3) Made of super hardness stainless steel 17-4P/H to avoid deformation of the bracket.
- 4) All the brackets are processed by casting and automatic welding procedure.

Torque	-11°	-11°	-55°	-55°	-55°	-55°	-55°	-55°	-11°	-11°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°




Torque	-11°	-11°	-40°	-40°	-40°	-40°	-40°	-40°	-11°	-11°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°



1 Kit+ 8 Tubes 28 pcs 10.05.02

Torque	10°	10°	10°	10°
Tip	0°	0°	0°	0°
In/Out mm	0.5	0.8	0.8	0.5
Width mm	3.5	3.0	3.0	3.5

Lingual NiTi wires




Type	Size	Upper	Lower	Qty
Small	0.016	10.05.03	10.05.06	2
Medium	0.016	10.05.04	10.05.07	2
Large	0.016	10.05.05	10.05.08	2

Lingual arch wires available three sizes.

COSMETIC BRACKETS

LAVA (SAPPHIRE CERAMIC BRACKET)



Having all of excellent mehanical properties.
Outstanding optical properties, Excellent heat transfer.
Low- temperature and High -temperature stability.



Debonding base surface observation

Debonded Bracket Base Surface Observation

Granule Coating on the bracket base

Not Excessive, Not Deficient base Coating : Stable Bonding & Easy Dedonding

Optimal Granule Size : Surface Tension Maximization & Homogenization

MBT

Slot	Code
0.018	10.11.300
0.022	10.11.400

Total	Torque	Ang	M/D Width
Maxillary			
Centrals	+17°	+4°	3.30
Laterals	+10°	+8°	3.00
Cuspids with Hook	0°	+8°	3.40
1st Bicuspidis (Optimal Hook)	-7	0°	3.30
2nd Bicuspidis (Optimal Hook)	-7	0°	3.30
Mandibular			
Anteriors	-6°	0°	2.90
Cuspids with Hook	0°	+3°	3.40
1st Bicuspidis (Optimal Hook)	-12	+2	3.30
2nd Bicuspidis (Optimal Hook)	-17°	+2	3.30

COSMETIC BRACKETS

CLEAR

(Monocrystalline Clear
Aesthetic Bracket)



ULTRA SMOOTH ,STRONG
HOOKS

TRANSPARENT IN APPEARANCE
For optimum aesthetics

COLOR ENHANCED I.D
For easy bracket selection

ARCHWIRE SLOT DESIGN

ROUNDED EDGES

EXPANDED TIE WING UNDERCUTS
For easy bracket ligation

DOVE TAIL GROOVES

Crystal Clear Aesthetics
Compare to Inspire Ice by Ormco

ROTH

Slot	Code
0.018 x 0.030"	10.12.100
0.022 x 0.030"	10.12.200


MBT

Slot	Code
0.018 x 0.030"	10.12.300
0.022 x 0.030"	10.12.400

COSMETIC BRACKETS ILLUSION



Polycrystalline Ceramic Bracket System



ROTH

Slot	Code
0.018 x 0.030"	10.13.100
0.022 x 0.030"	10.13.200

MBT

Slot	Code
0.018 x 0.030"	10.13.300
0.022 x 0.030"	10.13.400

COSMETIC BRACKETS

SPARKLE (Metal Lined Ceramic Bracket System)



TRANSLUCENT MATERIAL
Glare Free on the tooth

COLOR ENHANCED I.D
For easy bracket selection

ROUNDED CORNERS
For enhanced patient comfort

**PRECISION METAL
LINED ARCHWIRE SLOT**

**COMPOUND
CONTOUR BASE**
For ideal Bracket fit

STRONG TIE WINGS

**MECHANICAL LOCK
BASE WITH DOVETAIL**
For increased retention

AMPLE TIE WING AREA
For easy bracket ligation

ROTH

Slot	Code
0.018 x 0.030"	10.14.100
0.022 x 0.030"	10.14.200

MBT

Slot	Code
0.018 x 0.030"	10.14.300
0.022 x 0.030"	10.14.400

ECO CERAM

TRANSLUCENT
For aesthetic appearance

ROUNDED CORNERS
For enhanced patient comfort

COMPOUND TIE WING
For added patient comfort

**MECHANICAL LOCK BASE
WITH MUSHROOM GROOVE**
For increased retention

TORQUE IN BASE

COMPOUND CONTOUR BASE
For ideal Bracket fit

AMPLE TIE WING AREA
For easy bracket ligation


ROTH

Slot	Code
0.018 x 0.030"	10.18.100
0.022 x 0.030"	10.18.200

MBT

Slot	Code
0.018 x 0.030"	10.18.300
0.022 x 0.030"	10.18.400

COMPOSITE BRACKETS



GLASS

Metal Lined
Composite
Bracket System



ROTH


Slot	Code
0.018 x 0.030"	10.15.100
0.022 x 0.030"	10.15.200

MBT

Slot	Code
0.018 x 0.030"	10.15.300
0.022 x 0.030"	10.15.400

ORA

Composite
Bracket System



ROTH

Slot	Code
0.018 x 0.030"	10.16.100
0.022 x 0.030"	10.16.200

MBT

Slot	Code
0.018 x 0.030"	10.16.300
0.022 x 0.030"	10.16.400

MINI IMPLANT SYSTEM




Button Head

makes it possible to use coil spring and chain



Deep Valley Spiral

makes stronger maintenance after loading



Multi Hole

makes it possible to use various wires and pins

Round Shapes

enlarges contact part with the soft tissue

Tapered Type Screw

offers better adaptability to the bone

Cutting End For Self Drilling

Ortho Mini Screw



Product size	Code
1.2 x 6mm	80.02.03
1.2 x 8mm	80.02.04
1.2 x 10mm	80.02.11
1.4 x 6mm	80.02.05
1.4x 8mm	80.02.06
1.4 x 10mm	80.02.07
1.6 x 6mm	80.02.08
1.6 x 8 mm	80.02.09
1.6 x 10mm	80.02.10

Buccal Shelf Screw



Product size	Code
2 x 10 mm	80.03.03
2 x12 mm	80.03.04

Infra Zygomatic Screw



Product size	Code
2 x 12 mm	80.03.05
2 x14 mm	80.03.06



Screw Driver
Handle

80.02.01



Driver Shaft

80.02.02



ORTHODONTIC MODELS



10.10.01
Class I



10.10.02
Class II
Division 1



10.10.03
Class II
Division 2



10.10.04
Class III



10.10.05
Class I with
Metal brackets



10.10.06
Half metal
Half Ceramic



10.10.07
Selfly Passive




10.10.09
Selfly Clear Passive

BUCCAL TUBES



ONE PIECE MIM BUCCAL TUBE



DOUBLE



SINGLE

FEATURES

- ONE PIECE METAL INJECTION MOULDED
- BIO-COMPATIBLE MATERIALS
- COMPOUND CONTOURED / TORQUE IN BASE
- SUPERIOR BASE DESIGN FOR STRONGER BOND
- LOW PROFILE DESIGN
- LEAD-IN ARCHWIRE SLOT FOR EASY WIRE INSERTION
- COMFORT HOOK FOR OPTIMAL PATIENT COMFORT
- 0.022" AND 0.018" SLOTS

BONDABLE TUBES



MAXILLARY

UPPER MOLAR NON - CONVERTIBLE TUBES
DIRECT BONDABLE 0.018 & 0.022

SINGLE TUBE

Tooth	Torque	Offset	In/Out Length	Length	0.018 0.025	0.022x0.028	Qty
67	-14	+8	1.07	3.5	20.01.10	20.02.10	1
67	-14	+8	1.07	3.5	20.01.11	20.02.11	1



DOUBLE TUBE

Tooth	Torque	Offset	In/Out Length	Length	0.018x0.025	0.022x0.028	Qty
6	-14	+8	1.07	3.5	20.03.10	20.04.10	1
6	-14	+8	1.07	3.5	20.03.11	20.04.11	1



MANDIBULAR

LOWER MOLAR NON- CONVERTIBLE TUBES
DIRECT BONDABLE 0.018 & 0.022

SINGLE TUBE

Tooth	Torque	Offset	In/Out Length	Length	0.018x0.025	0.022x0.028	Qty
67	-14	+8	1.07	3.5	20.07.10	20.08.10	1
67	-14	+8	1.07	3.5	20.07.11	20.08.11	1



DOUBLE TUBE

Tooth	Torque	Offset	In/Out Length	Length	0.018x0.025	0.022x0.028	Qty
6	-14	+8	1.07	3.5	20.09.10	20.10.10	1
6	-14	+8	1.07	3.5	20.09.11	20.10.11	1



WELDABLE TUBES



MAXILLARY

UPPER MOLAR NON- CONVERTIBLE TUBES
WELDABLE 0.018 & 0.022

SINGLE TUBE

Tooth	Torque	Offset	In/Out Length	Length	0.018x0.025	0.022x0.028	Qty
67	-14	+8	1.07	3.5	20.11.10	20.12.10	1
67	-14	+8	1.07	3.5	20.11.11	20.12.11	1



DOUBLE TUBE

Tooth	Torque	Offset	In/Out Length	Length	0.018x0.025	0.022x0.028	Qty
6	-14	+9	1.07	3.5	20.13.10	20.14.10	1
6	-14	+9	1.07	3.5	20.13.11	20.14.11	1



TRIPLE TUBE

Tooth	Torque	Offset	In/Out Length	Length	0.022x0.028	Qty
6	-14	+9	1.07	3.5	20.16.10	1
6	-14	+9	1.07	3.5	20.16.11	1



MANDIBULAR

UPPER MOLAR NON- CONVERTIBLE TUBES
WELDABLE 0.018 & 0.022

SINGLE TUBE

Tooth	Torque	Offset	In/Out Length	Length	0.018x0.025	0.022x0.028	Qty
67	-14	+8	1.07	3.5	20.17.10	20.18.10	1
67	-14	+8	1.07	3.5	20.17.11	20.18.11	1



DOUBLE TUBE

Tooth	Torque	Offset	In/Out Length	Length	0.018x0.025	0.022x0.028	Qty
6	-14	+9	1.07	3.5	20.19.10	20.20.10	1
6	-14	+9	1.07	3.5	20.19.11	20.20.11	1



BANDS



Plain Molar Bands

JJ Anatomical bands are made of stainless steel, and are preformed to reproduce molar morphology for the better adaptation. These bands are available for upper and lower molars and for right and left side. These bands are available in Introductory Kit & Master Kit and are also available individually.



Introductory Kit (Product Code - 30.10.03)

SIZE	29.5	30	30.5	31	31.5	32	32.5	33	33.5	34	34.5	35	35.5	36	36.5	37	37.5	38	38.5	39	39.5	40	40.5	41	41.5	42	Total
UR ₆							1	2	3	3	4	5	5	8	8	3	3	2	2	1							50
UL ₆							1	2	3	3	4	5	5	8	8	3	3	2	2	1							50
LR ₆							1	2	3	3	4	5	5	8	8	3	3	2	2	1							50
LL ₆							1	2	3	3	4	5	5	8	8	3	3	2	2	1							50
																											200

Molar Master Kit (Product Code -30.10.05)

SIZE	29.5	30	30.5	31	31.5	32	32.5	33	33.5	34	34.5	35	35.5	36	36.5	37	37.5	38	38.5	39	39.5	40	40.5	41	41.5	42	Total
UR ₆	2	2	2	2	4	4	4	4	4	5	5	5	8	8	10	10	10	10	8	4	4	2	2	2	2	2	125
UL ₆	2	2	2	2	4	4	4	4	4	5	5	5	8	8	10	10	10	10	8	4	4	2	2	2	2	2	125
LR ₆	2	2	2	2	4	4	4	4	4	5	5	5	8	8	10	10	10	10	8	4	4	2	2	2	2	2	125
LL ₆	2	2	2	2	4	4	4	4	4	5	5	5	8	8	10	10	10	10	8	4	4	2	2	2	2	2	125
																											500

Available Plain Molar Bands

Size	34	34.5	35	35.5	36	36.5	37	37.5	38	38.5	39	39.5	40	Total
UR ₆	4	4	4	4	6	6	6	6	6	4	4	4	4	62
UL ₆	4	4	4	4	6	6	6	6	6	4	4	4	4	62
LR ₆	4	4	4	4	6	6	6	6	6	4	4	4	4	62
LL ₆	4	4	4	4	6	6	6	6	6	4	4	4	4	62
														248

PRE-WELDED BANDS



PRE-WELDED BANDS WITH TUBE

JJ offers pre-welded bands within a comfortable and economical range. The pre-welded bands are available in upper double & lower single tubes, upper single and lower single, upper double and lower double tube and also as per your requirement. These bands available in Introductory Kit & Master Kit and are also available individually.



Lower Right 7 6



Lower Left 6 7



Upper Right 7 6



Upper Left 6 7

PRE-WELDED BANDS



Pre Welded Introductory Kit (30.10.04)

SIZE	29.5	30	30.5	31	31.5	32	32.5	33	33.5	34	34.5	35	35.5	36	36.5	37	37.5	38	38.5	39	39.5	40	40.5	41	41.5	42	TOTAL
UR 6						1	2	3	3	4	5	5	8	8	3	3	2	2	1								50
UL 6						1	2	3	3	4	5	5	8	8	3	3	2	2	1								50
LR 6						1	2	3	3	4	5	5	8	8	3	3	2	2	1								50
LL 6						1	2	3	3	4	5	5	8	8	3	3	2	2	1								50
																											200

Pre welded master kit (30.10.06)

SIZE	29.5	30	30.5	31	31.5	32	32.5	33	33.5	34	34.5	35	35.5	36	36.5	37	37.5	38	38.5	39	39.5	40	40.5	41	41.5	42	TOTAL
UR 6	2	2	2	2	4	4	4	4	4	5	5	5	8	8	10	10	10	10	8	4	4	2	2	2	2	2	125
UL 6	2	2	2	2	4	4	4	4	4	5	5	5	8	8	10	10	10	10	8	4	4	2	2	2	2	2	125
LR 6	2	2	2	2	4	4	4	4	4	5	5	5	8	8	10	10	10	10	8	4	4	2	2	2	2	2	125
LL 6	2	2	2	2	4	4	4	4	4	5	5	5	8	8	10	10	10	10	8	4	4	2	2	2	2	2	125
																											500

CONVERSION CHART

JJ ORTHODONTICS	28	28.5	29	29.5	-	-	30	30.5	-	-	31	31.5	32	32.5	-	33	33.5	34	34.5	-	35	35.5	36	36.5	-	-	37	37.5	38	38.5	39	-	-	39.5	40	40.5	41	41.5	42	
A COMPANY	-	-	-	-	1	-	2	3	4	5	6	-	7	-	-	-	-	-	-	14	15	16	17	-	-	18	19	20	21	22	24	25	-	-	26	27	27/29	30	-	
AMERICAN	1	-	-	-	2	-	3	4	5	6	-	7	8	-	9	13	11/12	13	-	14	15	16	-	17	18	19	20	21	22	23	24	25	26	27	-	28	30	32	-	-
DENTAURUM	2	2	-	-	3	4	5	6	-	7	-	8	9	-	-	-	-	-	-	16	17	18	-	19	20	21	22	23	24	25	27	28	29	30	31	32	-	-		
GAC	1	-	2	-	3	-	4	-	5	-	6	-	7	-	8	-	9	10	11/12	-	13	14	15	16	17	18	-	20/21	22	-	23	24	26	28	28	-	-			
LANCER	-	-	-	-	2	3	-	4	5	6	7	8	-	-	-	-	-	-	16	15/16	17	-	18	19	20	21	22	23	-	25	27	-	28	29	30/31	32	-	-		
ORMCO	-	-	-	-	2	3	-	4	5	6	7	8	9	10	11	-	12	13/14	15	16	-	17	18	-	19	20	21	22	23	-	-	27	28	29	30	31	-	-		
R.MOUNTAIN	2	-	3	-	3.5	4	-	4.5	5	5.5	-	-	-	-	-	-	-	8.5	9	9.5	-	10	10.5	11	12	13	13.5	14	15	16	16.5	17	17.5	18	18.5	-	-			
UNITEK	-	-	29	29.5	-	-	30	30.5	-	-	31	31.5	32	32.5	-	33	33.5	34	34.5	-	35	35.5	36	36.5	-	-	37	37.5	38	-	38.5	-	-	39.5	40	40.5	41	41.5	42	

ELASTOMERICS



Power Chain

Shade	Color	Continuous	Short	Long
	Black	50.01.01	50.02.01	
	Blue	50.01.02	50.02.02	
	Clear	50.01.03	50.02.03	50.03.03
	Fuchsia	50.01.04	50.02.04	
	Purple	50.01.05	50.02.05	
	Metallic Green	50.01.06	50.02.06	
	Red	50.01.07	50.02.07	
	Silver	50.01.08	50.02.08	50.03.08
	Teal	50.01.09	50.02.09	

Shade	Color	Continuous	Short	Long
	Yellow	50.01.10	50.02.10	
	Orange	50.01.12	50.02.12	
	Light blue	50.01.13	50.02.13	
	Green	50.01.15	50.02.15	
	Light Green	50.01.16	50.02.16	
	Pink	50.01.17	50.02.17	
	Sky blue	50.01.18	50.02.18	

Ligature Ties

Shade	Color	Code
	Black	50.04.01
	Blue	50.04.02
	Yellow	50.04.03
	Metallic Green	50.04.04
	Light Green	50.04.05
	Light Pink	50.04.06
	Purple	50.04.07
	Red	50.04.08
	Grey	50.04.09
	Teal	50.04.10
	Orange	50.04.11

	White	50.04.12
	Clear	50.04.13
	Fuchsia	50.04.14
	Tooth	50.04.15
	Multi	50.04.17
	Green	50.04.19
	Cobalt Blue	50.04.20
	Dark Green	50.04.21
	Hot Pink	50.04.22
	Bright Red	50.04.24
	Fluorescent Green	50.04.25



Latex free Ligature Ties Moulded

	Fluorescent Pink	50.04.26
	Dk Emerald Green	50.04.27
	Light Blue	50.04.28
	Sky Blue	50.04.29
	Burgundy	50.04.30
	Metallic Gold	50.04.31
	Violet	50.04.34
	Ocean Blue	50.04.35

ELASTOMERICS



Elastics

Intra Oral Elastics



Available Pack

Size	Force	Color	Qty	Code
1/8"	5 oz	Grey	1000	50.05.01
3/16"	4.5 oz	Red	1000	50.05.02
1/4"	4 oz	Blue	1000	50.05.03
5/16"	3.5 oz	Green	1000	50.05.04
5/16"	2.5 oz	Yellow	1000	50.05.05
3/8"	3 oz	Pink	1000	50.05.06

Extra Oral Elastics

Available Pack

Size	Force	Color	Qty	Code
5/16"	8oz	Yellow	50	50.05.07

Elastic Thread

Solid thread made from high quality elastomeric resins. Fresh materials assure long shelf life. Ideal for rotations and retractions.



Available Pack


Color	Size	Qty	Code
Clear	0.025	25ft	50.06.01

Arch Wire Sleeve

The tube is gone through a special heat curing process that extends elasticity, memory and easy to ligate.

Available Pack

Color	Size	Qty	Code
Clear	0.025	25ft	50.07.01
Grey	0.025	25ft	50.07.02



Rotation Wedges

Rotation wedges are positioned in the brackets to promote rotational movement of the tooth.

Available Pack

Color	Qty	Code
Clear	20 nos	50.09.01
Grey	20 nos	50.09.02



Radio Opaque Separators


The separators have a high elasticity and strength, promoting an efficient and rapid interproximal opening. They are precision cut made from latex free elastomeric material.

Available Pack

Size	Colour	Qty	Code
Large	Green	500	50.10.01
Small	Blue	500	50.10.02



WIRES



NiTi Wires

Preformed Super Elastic Niti Arch Wire



Preformed NiTi Reverse Arch Wires



Preformed NiTi Thermal Activated Arch Wires



NiTi Spool Wire



Available Pack


Size	Qty	NATURAL		OVAL	
		Upper Code	Lower Code	Upper Code	Lower Code
○ 0.012"	10	40.01.01	40.02.01	40.03.01	40.04.01
○ 0.014"	10	40.01.02	40.02.02	40.03.02	40.04.02
○ 0.016"	10	40.01.03	40.02.03	40.03.03	40.04.03
○ 0.018"	10	40.01.04	40.02.04	40.03.04	40.04.04
○ 0.020"	10	40.01.05	40.02.05	40.03.05	40.04.05
□ 0.016"x 0.016"	10	40.01.06	40.02.06	40.03.06	40.04.06
□ 0.016"x 0.022"	10	40.01.07	40.02.07	40.03.07	40.04.07
□ 0.017"x 0.025"	10	40.01.08	40.02.08	40.03.08	40.04.08
□ 0.018"x 0.025"	10	40.01.09	40.02.09	40.03.09	40.04.09
□ 0.019"x 0.025"	10	40.01.10	40.02.10	40.03.10	40.04.10
□ 0.021"x 0.025"	10	40.01.11	40.02.11	40.03.11	40.04.11

Size	Qty	NATURAL	
		Upper Code	Lower Code
○ 0.012"	10	40.07.01	40.08.01
○ 0.014"	10	40.07.02	40.08.02
○ 0.016"	10	40.07.03	40.08.03
○ 0.018"	10	40.07.04	40.08.04
□ 0.016"x 0.016"	10	40.07.05	40.08.05
□ 0.016"x 0.022"	10	40.07.06	40.08.06
□ 0.017"x 0.025"	10	40.07.07	40.08.07
□ 0.018"x 0.025"	10	40.07.08	40.08.08
□ 0.019"x 0.025"	10	40.07.09	40.08.09

Size	Qty	Upper Code	Lower Code
○ 0.012"	10	40.13.11	40.14.11
○ 0.014"	10	40.13.01	40.14.01
○ 0.016"	10	40.13.02	40.14.02
○ 0.018"	10	40.13.03	40.14.03
○ 0.020"	10	40.13.04	40.14.04
□ 0.016"x 0.016"	10	40.13.05	40.14.05
□ 0.016"x 0.022"	10	40.13.06	40.14.06
□ 0.017"x 0.025"	10	40.13.07	40.14.07
□ 0.018"x 0.025"	10	40.13.08	40.14.08
□ 0.019"x 0.025"	10	40.13.09	40.14.09
□ 0.021"x 0.025"	10	40.13.10	40.14.10

Size	Spool Length	Code
0.014"	15ft	40.32.01
0.016"	15ft	40.32.02
0.018"	15ft	40.32.03

WIRES



Stainless Steel Wires

Preformed Stainless Steel NiCr Arch Wires



Available Pack

Size	Qty	Upper Code	Lower Code
0.012"	10	40.19.01	40.20.01
0.014"	10	40.19.02	40.20.02
0.016"	10	40.19.03	40.20.03
0.018"	10	40.19.04	40.20.04
0.020"	10	40.19.05	40.20.05
0.016" x 0.016"	10	40.19.06	40.20.06
0.016" x 0.022"	10	40.19.07	40.20.07
0.017" x 0.025"	10	40.19.08	40.20.08
0.018" x 0.025"	10	40.19.09	40.20.09
0.019" x 0.025"	10	40.19.10	40.20.10
0.021" x 0.025"	10	40.19.11	40.20.11

Straight Length Stainless Steel NiCr Wires



Stainless steel wire sticks are available in all diameters necessary to every step of orthodontic treatment.

Available Pack

Size	Length of each wire stick	Qty	Code
0.014"		10	40.24.10
0.016"		10	40.24.01
0.018"		10	40.24.02
0.016" x 0.016"		10	40.24.03
0.016" x 0.022"		10	40.24.05
0.017" x 0.025"		10	40.24.06
0.018" x 0.025"		10	40.24.07
0.019" x 0.025"		10	40.24.08
0.021" x 0.025"		10	40.24.09

Australian Wires



Available Pack

Size	Spool length	Code
0.014	25 ft	40.21.01
0.016	25 ft	40.21.02
0.018	25 ft	40.21.03

Australian Like Wires



Available Pack


Size	Spool length	Code
0.014	25 ft	40.22.01
0.016	25 ft	40.22.02
0.018	25 ft	40.22.03

WIRES



Preformed Ligature Wires


Preformed Ligature Ties



Kobayashi



Short Kobayashi



Available Pack

Type of Wire	Size	Pack Qty	Code
Stainless Steel Wire	0.25mm	100	40.23.01
Tooth Colored	0.25mm	100	40.23.02

Available Pack

Type of Wire	Size	Pack Qty	Code
Stainless Steel Wire	0.35mm	100	40.23.03
Tooth Colored	0.35mm	100	40.23.04

Available Pack

Type of Wire	Size	Pack Qty	Code
Stainless Steel Wire	0.35mm	100	40.23.05
Tooth Colored	0.35mm	100	40.23.06

TMA Wires

TMA Straight Length Wires



This special titanium -molybdenum alloy of TMA wires brings several advantage for the finishing orthodontic treatments.



Available Pack

Size	Length of each wire stick	Qty	Code
○ 0.016"		10	40.25.01
○ 0.032"		10	40.25.02
○ 0.036"		10	40.25.03
□ 0.016" X 0.022"		10	40.25.04
□ 0.017" X 0.025"		10	40.25.05
□ 0.018" X 0.025"		10	40.25.06
□ 0.019" X 0.025"		10	40.25.07
□ 0.021" X 0.025"		10	40.25.08
□ 0.016" X 0.016"		10	40.25.09

Preformed TMA Arch Wires



Available Pack


Size	Qty	Upper Code	Lower Code
0.016"X 0.016"	10	40.26.01	40.26.07
0.016"X 0.022"	10	40.26.02	40.26.08
0.017"X 0.025"	10	40.26.03	40.26.09
0.018"X 0.025"	10	40.26.04	40.26.10
0.019"X 0.025"	10	40.26.05	40.26.11
0.021"X 0.025"	10	40.26.06	40.26.12

WIRES



Twist Flux Wires

Twist -Flux wires NiCr for Lingual Retainer



Available Pack

Size	Length of each wire stick	Pack Qty	Code
0.015"		10	40.28.01
0.018"		10	40.28.02
0.032"		10	40.28.03

Coaxial Spool Wires



Coaxial wires are 5 wires wrapped around a single core wire, is a super resilient wire that can be bend to a greater degree than ordinary twist wire.

Available Pack

Size	Length of each wire stick	Pack Qty	Code
0.0155		1	40.29.01
0.0175		1	40.29.02

Tooth Color Wires



Available Pack

Type	Size	Pack Qty	Upper Code	Lower Code
SS	0.016"	2	40.31.01	40.31.05
	0.016"x 0.022"	2	40.31.02	40.31.06
NiTi	0.012"	2	40.31.09	40.31.14
	0.014"	2	40.31.10	40.31.15
	0.016"	2	40.31.03	40.31.07
	0.018"	2	40.31.11	40.31.16
	0.016"x 0.022"	2	40.31.04	40.31.08
	0.017"x 0.025"	2	40.31.12	40.31.17
	0.019"x 0.025"	2	40.31.13	40.31.18

ACCESSORIES



Gurins

Gurins are devices attached to the Orthodontic wires with the gurins key which will permit the application of forces directly in the arch. It is used in tie-back stop applications, spring activation and prevents wire migration.

Available Pack

Size	Qty	Code
0.022 Fixed or adjustable	10	60.01.01



Gurin without Hook

Available Pack

Type	Size	Qty	Code
Right	0.022 Fixed or adjustable	10	60.01.02
Left	0.022 Fixed or adjustable	10	60.01.03



Gurin with Short Hook

Available Pack

Type	Size	Qty	Code
Right	0.022 Fixed or adjustable	05	60.01.04
Left	0.022 Fixed or adjustable	05	60.01.05



Gurin with Long Hook

Gurins Key



It is a Hexagonal Key to fix the Gurins Screw.

Available Pack

Size	Qty	Code
0.022 Fixed or adjustable	01	60.01.06

Lingual Sheath



Available Pack

Use	Length	Qty	Code
$\frac{6}{6} \frac{6}{6}$	3.5 mm	10	60.01.07

ACCESSORIES



Lingual Button

Lingual Buttons are available in bondable and weldable form. This can be used for elastic and ligature wire retention, for improving rotation, traction and retraction movements.

Available Pack

Type	Base Type	Size	Base Size	Qty	Code
For Welding	Plain Flat Base		3.5 mm	10	60.01.09
For Bonding	Convex Mesh Base		3.5 mm	10	60.01.10
	Concave Mesh Base		3.5 mm	10	60.01.11
	Flat Mesh Base		3.5 mm	10	60.01.10A



Stainless Steel(NiCr) Springs



The Stainless Steel Springs are good devices to obtain forces of Traction or Compression.

Available Pack

Type	Medium Force	Size	Qty	Code
Open	-	0.25mm	3 ft	60.01.12
		0.80mm	3 ft	
Closed	230gf	0.20mm	3 ft	60.01.13
		0.80mm	3 ft	

Nickel Titanium (NiTi) Springs



Available Pack

Type	Medium Force	Size	Qty	Code
Open	200gf	180mm	2pcs	60.01.17
Closed	250gf	9mm	10pcs	60.01.18
		12mm	10pcs	60.01.19

ACCESSORIES



Lingual Cleat

It is a lingual attachment to hold maxillary and mandibular removable appliances

Lingual Cleat Long	Lingual Cleat Short	Code for Short	
		Qty	Code
		50	60.01.15

Lingual Retainers

Lingual Retainers 3-3

Direct bonding, Suitable thickness and hardness, easy to use.



Available Pack- 2pcs/pk

Upper	Size	38 mm	40mm	42mm	45mm	47mm
	Code	60.01.20	60.01.21	60.01.22	60.01.23	60.01.24
Lower	Size	29mm	31mm	33mm	35mm	37mm
	Code	60.01.25	60.01.26	60.01.27	60.01.28	60.01.29

Universal Lingual Retainers

Direct bonding, Universal, Flexible according to Clinical Operation.



Available Pack- 2pcs/pk

Size	2.0 mm	1.2mm
Code	60.01.30	60.01.31

Silver Soldering Flux

The Flux can be used for welding, improving metal union and allow uniform blister free weld.



Available Pack

Size	Qty	Code
20 ml	01	60.01.32

Silver Solder

Silver Solder is made by non-toxic material and easy for use.

Available Pack

Size	Qty	Code
3 m	01	60.01.33



ACCESSORIES



Stainless Steel Mirrors

The mirror can autoclave and tolerates temperatures up to 137 degree centigrade.

Lingual Adult Occlusal	Adult Occlusal	Buccal	Lingual	Child
60.01.34	60.01.35	60.01.38	60.01.37	60.01.36
1 pc/pk	1 pc/pk	1 pc/pk	1 pc/pk	1 pc/pk




Code: **60.01.38**



Code: **60.01.35**

Code: **60.01.37**



Code: **60.01.34**
Lingual Adult Occlusal



Hyrax Palatal Expansion Screw



Expansion	Qty	Code
7mm	1	60.01.46
9mm	1	60.01.47
11mm	1	60.01.48
13mm	1	60.01.49

Tubes for activators with bar

These tubes can be used as face bow tubes



Available Pack

Size	Qty	Code
0.051"	02	60.01.62

NiTi ice Instrument



Available Pack

Qty	Code
01	60.01.63

ACCESSORIES



Crimpable Hooks - Curve



Available Pack

Type	Size	Qty	Code
Right Slot .022"		10	60.01.52
Left Slot .022"		10	60.01.53

Crimpable Hooks-Straight



Available Pack

Size	Qty	Code
	10	60.01.54

Stop for rectangular and Round Arches



Available Pack

Size	Qty	Code
Rectangular	10	60.01.55-A
Round	10	60.01.55-B

Cross Tubes



Available Pack

Size	Qty	Code
.022	10	60.01.55

Hook for Traction of Non- Erupted Teeth



Available Pack

Size	Qty	Code
	10	60.01.61

ACCESSORIES



Bracket Protector

Bracket Protector is a shield that covers the front of the brackets, arch wires etc. Patient can have relief from oral soft tissue pain and thus reduce the number of emergency visits to the orthodontist.



1 patient set of upper & lower per pack

Available Pack

Qty	Code
01	60.01.68

Patient Relief Wax



Non-scented



Scented

Patient relief wax relieves patient discomfort due to orthodontic appliances and reduces number of emergency visits.

Available Pack

Qty	Code
01	60.01.65

Distalizing maxillary molar universal

It is used to distalizing maxillary molars and offers constant forces ranging from 20 gf to 160 gf



Available Pack

Compr	Load	Qty	Universal
5mm	100g	02	60.01.77

Eruption Appliance



Available Pack

Type	Qty	Code
Economy	02	60.01.69E
With gold chain	02	60.01.69

AUXILIARIES



Interproximal Stripper

Removes interproximal tooth mass to produce additional intra-arch space. It may also be used for opening contact points, re-contouring or removing hanging fillings

Available Pack



Pack Type	Item	Qty	Specification	Code
Stripper Kit	Stripper Handle	01	-	60.01.74
	Single side stainless steel strips	12pcs	4x0.14 mmx150mm	
	Single side diamond strips	2pcs	4x0.14mm x 120mm	
Individual Item	Stripper Handle (Autoclavable upto 2750 F)	01		60.01.74A
	Single side stainless steel strips	12 pcs	4x0.14mm x150mm	60.01.74B
	Single side diamond strips	10pcs	4x0.14mmx 120mm	60.01.74C

Impression Trays

The impression trays have excellent alginate retention due to base perforation. It can be decontaminated by autoclave or chemical methods.

Size	Color	Qty	Code	Type
1	grey	2	60.02.13	Small
2	yellow	2	60.02.14	
3	Pink	2	60.02.15	
4	Orange	2	60.02.16	Medium
5	Green	2	60.02.17	
6	Red	2	60.02.18	
7	Blue	2	60.02.19	Large
8	Violet	2	60.02.20	



AUXILIARIES NEW



Resin Removal Bur



1 pc

60.01.75

Universal Hook for TAD



Pack of 10

60.01.51

Stop Closed with Applicator




Pack of 10

60.01.56

AUXILIARIES




Maxillary Quad Helix



Available Pack

Size	Qty	Code
1	01	60.02.21
2	01	60.02.22
3	01	60.02.23

Palatal Bar



Available Pack

Size	Qty	Mesial	Distal
37mm	10	60.02.25	60.02.34
39mm	10	60.02.26	60.02.35
41mm	10	60.02.27	60.02.36
43mm	10	60.02.28	60.02.37
45mm	10	60.02.29	60.02.38
47mm	10	60.02.30	60.02.39
49mm	10	60.02.30A	60.02.39A
51mm	10	60.02.31A	60.02.40A
53mm	10	60.02.31	60.02.40
55mm	10	60.02.32	60.02.41

Retainer Boxes



Available Pack

Qty	Code
01	60.02.43

Tongue Shield



Available Pack


Size	Qty	Code
2.4 cm, 2.6 cm, 2.8 cm	03	60.02.45

EXTRA ORAL



Face Bow

Face bows are made of special high resistant stainless steel material. It is associated with head gears or neck pads. This product allows application of orthodontic and orthopaedic forces.



Available Pack

Size	Qty	Code
Small	01	70.01.01
Medium	01	70.01.02
Large	01	70.01.03

Lip Bumper



Available Pack

Size	Qty	Code
Medium	01	70.01.05

Lip bumpers can be used to reinforce anchorage, to move molars and to treat hypotonic clip. It is placed in front of the anterior teeth to keep the pressure of the lips and cheeks away from the front teeth and back teeth respectively.

High pull strap with chin cap - High Traction

This appliance is useful for patients indicating mandible anterior growth. It is made up of polyester, elastic and plastic material.



Available Pack

Material	Size	Qty	Code
Polyester, elastic and plastic	Small	01	70.01.11

Safety Break Away



The safety breakaway is spontaneously detached if the force exceed the safety level.

Available Pack

Colour	Qty	Force	Code
White	02	Small - 350gf	70.01.13
	02	Medium - 500gf	70.01.14
	02	Large - 750gf	70.01.15

EXTRA ORAL



High pull straps



Available Pack

Size	Qty	Code
Small	01	70.01.16
Medium	01	70.01.17
Large	01	70.01.18

Protraction Mask



Available Pack

Colour	Qty	Code
Grey	01	70.01.23

RETRACTORS

Lip Retractor



Available Pack

Type	Qty	Code
Adult	01	60.02.46
Children	01	60.02.47

Cheek Retractor Twin



Available Pack

Qty	Code
01	60.02.48

Photographic Cheek Retractor



Available Pack

Type	Qty	Code
Adult	02	60.02.49
Children	02	60.02.50

Lip Retractor Interconnected



Available Pack

Size	Colour	Qty	Code
Large	Transparent	02	80.01.10
Small	Transparent	02	80.01.11

Cheek Retractor with wings



Available Pack

Large	Transparent	02	80.01.12
Small	Transparent	02	80.01.13

INSTRUMENTS



Bracket Positioner


This instrument allows the correct placement of the bracket slots in relation to the occlusal or incisal face of the tooth.



Available Pack

Size		Qty	Code
	3.5	01	80.01.05
	4		
	4.5		
	5		
	2.5	01	80.01.05 B
	3		
	5.5		
	6		

Triangular Band Seater



Available Pack

Size	Qty	Code
	01	80.01.08

Elastic Positioner

The positioners are useful for the patient to replace the intra-oral elastics



Available Pack

Colour	Qty	Code
Multi-color	10	80.01.17

INSTRUMENTS



Cephalometric Template-1995



Available Pack

Type	Qty	Code
1995	01	80.01.19


Distal Bender- Open & Closed



Available Pack

Qty	Code
01	80.01.24

Closed Arm Bending Distal



Available Pack

Qty	Code
01	80.01.25

Opened Arm Bending Distal



Available Pack

Qty	Code
01	80.01.26

Typodont



Type	Qty	Code
Typodont	01	80.01.27
Metal teeth	28	80.01.28
Wax	Class 1	80.01.29
	Class 2 Div.1	80.01.30
	Class 2 Div.2	80.01.31
	Class 3	80.01.32

INSTRUMENTS



Straight & Curve ended ligature bending (Ligature Tucker)



Qty	Code
01	80.01.33

Arch Turret

Available Pack

Qty	Code
01	80.01.35

Torque 0, 7 Slots

.016" .017" .018" .019"

.020" .021" .022"



Inter Proximal Reduction (IPR) Kit



Kit	Contents	Code
1pc	• Hand piece - 1 Nos • IPR Gauge - 1 Nos • IPR Stripper - 10 Nos	80.01.36

Gauge only

Qty	Code
01	80.01.36 B

INSTRUMENTS



Boone Bracket Gauge




Function	Size	Qty	Code
	3.5	01	80.01.38
	4		
	4.5		
	5		

Boone Bracket Gauge with Pencil Tip



Function	Size	Qty	Code
	3.5	01	80.01.46
	4		
	4.5		
	5		

Orthodontic Tensiometer



Force	Qty	Code
50gf-500gf	01	80.01.43
25gf-250gf	01	80.01.44

Orthodontic Tensiometer – Economic



Force	Qty	Code
28 gf-450 gf	01	80.01.45

INSTRUMENTS



Band tapes in roll



Available Pack

Size	Size	Qty	Code
	125 x 003	01	100.01.05
	150 x 004	01	100.01.06
	180 x 005	01	100.01.07
	180 x 006	01	100.01.03

Wires Ligature CrNi



Available Pack

Size	Weight	Qty	Code
009	125g	01	100.01.08
010	125 g	01	100.01.09

Ligature Wires Tooth Colour



Size	Weight	Qty	Code
10 m	125g	01	100.01.16

ADHESIVES



Light Cure Adhesives

Real Bond™

Light Cure Orthodontic Adhesives



Available Pack

Item	Qty	Code
Single syringe kit	1	110.01.05
4g adhesive syringe	1	110.01.06
6ml primer	1	110.01.07


Light Cure Band Cement



Available Pack


Item	Qty	Code
Band cement	1	110.01.14

Ortho Vita




Available Pack

Item	Qty	Code
Single syringe kit	1	110.01.19
5g adhesive syringe	1	110.01.20
10 ml primer	1	110.01.21
10 ml etchant	1	110.01.22



CUTTERS & PLIERS



Cutters New



Distal End Cutter

90.02.01




Distal End Cutter -Flush Cut

90.02.01F



Ligature & Pin Cutter


90.02.02M



Hard Wire Cutter


90.02.03

CUTTERS




Distal End Cutter

90.02.01



Hard wire cutter

90.02.03



Pin & Ligature Cutter

90.02.02



Heavy Wire Cutter

90.02.40



Pin & Ligature Cutter (Micro)

90.02.02 M



PLIERS



Peak Plier (L)

90.02.09

Peak Plier (R)

90.02.10



Hook Crimping Plier

90.02.04



Adams Plier

90.02.11



Three Prong Plier

90.02.06



Posterior Band Removing Plier

90.02.12



Step Bending Plier

90.02.07



De La Rosa

90.02.13



Cinch Back Plier

90.02.08



How Plier - Straight

90.02.14



PLIERS



How Plier-Curved

90.02.16



Weingart Utility Plier

90.02.20



Bird Beak Plier-Small

90.02.15




Tweed Loop Forming Plier

90.02.21




Bird Beak Plier-Long

90.02.17



Ribbon Arch Plier

90.02.22



Bird Beak Plier Long with TC & Groove

90.02.18



Direct Bond Bracket Remover

90.02.23



PLIERS



V-Bending Plier

90.02.24



Band Cutting Scissor

90.02.30



Rose Torquing Plier (Male & Female)

Lingual Tweezer

90.02.31

Male

Female



90.02.25



90.02.26



Separating Holder

90.02.27

Band Contouring Plier

90.02.32



Band Cutting Scissor

90.02.28

Bracket Tweezer

90.02.33



Mosquito Hemostat

90.02.29

Bracket Tweezer

90.02.34



PLIERS



Keat Buccal with Tweezer 90.02.35



Aluminium Heigth Guage

.018 Slot 90.02.41

.022 Slot 90.02.42



Optical Loop Forming Plier 90.02.36



Bracket Tweezer with Positioner

90.02.47



Mathieu With TC (14 CM)

90.02.37



Universal Plier

90.02.48



Mathieu with Point Tip (14 CM)

90.02.39



Nance Loop Forming Plier

90.02.49



PLIERS



Band Crimping Plier

90.02.50

**Mathieu Narrow Tip With
Finger Ring**

90.02.51



Mershon Band Pusher

80.01.06



Single Straight Pliers Rack

90.02.45



PLIERS

LINGUAL ORTHODONTIC PLIERS



Lingual Distal End Cutter

90.01.01



Lingual Hammer Head NiTi Plier **90.01.05**



Lingual Pin & Ligature Cutter **90.01.02**



Lingual Hammer Head NiTi Plier with Serration **90.01.06**



Lingual Weingart Utility Plier **90.01.03**



Lingual Mathieu Plier **90.01.07**



Lingual Bracket Removing Plier **90.01.04**



JJ PRODUCTION

Designing



CNC Milling



EDM Machine



Micro Welding



JJ PRODUCTION

Surface
Grinding



Electrode
Checking



TR
Hardness
Tester



Wire Cutting



Dimension
Checking



JJ PRODUCTION

Moulding Shop




Moulding



Moulding



Stacking



Sintering Furnace



JJ PRODUCTION

Sand Blasting



QC Checking - NIKON



Colour Coding



Inspection



Assembling



JJ Group of Companies




LEARBITE
Change Your Smile Change
ALIGNERS

IMPLANT GENESIS



GENESIS Aktiv System



Genesis Aktiv Implants are made with Titanium Grade 5 Alloy (TA-6AL-4V ELI) produced with the most advanced technology under the highest standards and international quality. All of our implants are sterilized, sealed, and factory manufactured ready for use.



GENESIS Mini Implants

Genesis Mini Implant System includes many advanced design features that provides the dentists confidence, ease of placement and predictable restorability. Genesis Mini Implant system has a design with O'Ball Head with one size diameter and four different lengths.

Micro Grooving
the Lower aspect of the Implant is endowed with micro grooves to help maintain cortical bone

RBM 500X



Implant Body

The anatomically shaped implants are produced from medical grade & Titanium.



Smooth Collar

The top aspect of every collared implant is smooth so as to better accommodate

Aggressive Thread Implants

The aggressive implant are designed for the added compression and surface area required in soft bone placement





WITH ATTACHMENTS

CLARBITE +

Change Your Smile Change Your World

ALIGNERS

FDA Approved ESSIX Sheets, CAD CAM Technology



For more Details :+91-8592888283 +91 04802748352

HO: **JJ ORTHODONTICS** 0091-9048015555, 8593088823, 8589058284, 9946918284
Munipara, Chalakudy, Thrissur Dist, Kerala - 680 721, INDIA

E-mail: clearbitedental@gmail.com, Web: www.clearbitedental.com
Visit: [f](#) [t](#) [v](#) /clearbitealigners

Why You Love Doing Business with JJ Orthodontics....



10 REASONS

1. Three easy ways to order

Phone : 1-800-425-8545
0480-2746353/ 2746888
E-mail : jjdentalcorp@yahoo.com
Address : JJ Orthodontics Pvt. Ltd., VII/202E, Munipara, Kanjirapilly
P.O., Pariyaram village, Chalakudy, Thrissur Dist. Kerala-680721.

2. Ordering is fast.

Call 1-800-4 25-8545 and your call will be answered by a highly trained professional.

3. Same-day shipping

We ship an incredible 98% of our orders on the same day.

4. 100% Money – Back Guarantee.

If for any reason you are not completely satisfied with anything you buy from us, return it within 30 days for full refund or replacement.

5. Free life time tech support

Our Technical Specialists are always ready to answer your toughest questions-fast!

6. Discount Pricing

We offer discounts on many of our products when you buy

7. Multiple Payment Options

We accept Cheques/DD's or you can deposit the payment in any of our following bank accounts according to your convenience in IN FAVOUR OF JJ DENTAL CORPORATION.

All shipments will be delivered against advance payment in our account. JJ will not entertain any credits.

BANK	BRANCH	ACCOUNT NUMBER	IFSC CODE
STATE BANK OF INDIA	BANGLORE	30125503158	SBIN0007638
HDFC	CHALAKUDY	04022000000123	HDFC0000402
SOUTH INDIAN BANK	CHALAKUDY	0012083000001081	SIBL0000012

Cash on Delivery (COD) Facility of India post where order will be shipped by VPP or Speed Post

8. No minimum order size

Order as much or as little as you need. From one item to a large quantity we are happy to handle orders of any size.

9. Contact Directly

Still you find any problem our business transactions, you may contact us through 0480-2746353/ 2746888 or e-mail to jjdentalcorp@yahoo.com.

Kerala	Bangalore	Chennai	Delhi	Mumbai
9846748052 / 9846748053	09845599958	09840428100	09891166456	09892081435

Customer Relations

8592945888/8589888283/

9048659124/ 9061058283

Head Office:

JJ Orthodontics Pvt.Ltd.,VII/202E, Munipara, Kanjirapilly P.O., Pariyaram village, Chalakudy, Thrissur Dist.
Kerala-680721, TOLL FREE No.:1800-425-8545, 9207748283

www.jjortho.com

JJ ORTHODONTICS

www.jjortho.com



JJ ORTHODONTICS

Munipara, Chalakudy, Kerala
India - 680721

 Toll Free
1800 425 8545

E-mail: jjdentalcorp@yahoo.com
sales@jjortho.com